512 Harvey Road Sonic

Panel 144C

The EC indicates Zone AE. The panel has been change several times over the years with the most current LOC being LOMR 07-06-0545P dated Jul 11, 2008. Based on this LOMR the structure is not in the SFHA.

O.M.B. No 3067-00 Expires May 31, 19

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

| 1. COMMUNITY NUMBER 48041 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX (PA 2001) 1. COMMUNITY NUMBER 48041 2. PANEL NUMBER 2. SUFFIX 4. DATE OF FIRM INDEX (PA 2001) 1. COMMUNITY NUMBER 48041 2. PANEL NUMBER 2. SUFFIX 4. DATE OF FIRM INDEX (PA 2001) 1. COMMUNITY NUMBER 48041 2. PANEL | A SELVE | | FOR INSURANCE COMPANY USE POLICY NUMBER | | | |
|--|---|---|---|---|--|---|
| STREET ADDRESS (Including Apt., Unit, Suite anglor Bidg, Number) OR P.O. ROUTE AND BOX NUMBER COMPANY MAIC MUMBER | | | | | | |
| THE DESCRIPTION (Lot and shock Numbers, etc.) LOTZ West Wolf Pen Creek Subdivision SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 4. PANE ZONE 4. DATE OF FIRM INDEX 5. FIRM ZONE 7. PANEL NUMBER 7. SUFFIX 4. DATE OF FIRM INDEX 7. PANEL NUMBER 8. SUFFIX 7. COLOR 1. SUFFIX 1. DATE OF FIRM INDEX 8. FIRM ZONE 8. PANEL NUMBER 8. SUFFIX 7. COLOR 1. SUFFIX 1. DATE OF FIRM INDEX 8. FIRM ZONE 8. PANEL NUMBER 8. SUFFIX 7. COLOR 1. SUFFIX 1. DATE OF FIRM INDEX 8. FIRM ZONE 8. PANEL NUMBER 8. SUFFIX 7. COLOR 1. SUFFIX 1. DATE OF FIRM INDEX 8. FIRM ZONE 8. PANEL RESERVICES 8. FIRM ZONE 8. PANEL RESERVICES 8. FIRM ZONE 8. FI | | Manage. | ment | | | 1 - 24 - 25 - 12 - 14 - 14 - 14 - 14 - 14 - 14 - 14 |
| SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION | 512 Harver | 4 | Number) OR P.O. | ROUTE AND BOX NUMBER | | COMPANY NAIC NUMBER |
| SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 4. DATE OF FIRM INDEX C JWJ / 1992 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the devation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1. 2. SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1. 2. (2). FIRM Zones A1-A30, AE, AH, and A (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of 1. 128. 12. 10. 10 feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is at an elevation of 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. | OTHER DESCRIPTION (Lot and Lot Z Wes | Block Numbers, etc.) TWOIF Per | n Cree | ek Subdivi | 'si'cn | 2 skeakt |
| Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE PLODE ELEVATION (AND ZONEL USE GENERAL) 2. T. J. L. J. | COllege | _ / | | | SIAIE | 77840 |
| 1. COMMUNITY NUMBER 4 8 0 4 1 2 PANEL NUMBER 2. SUFFIX 4. DATE OF FIRM INDEX (IN A 2001) 1. COMMUNITY NUMBER 4 8 0 4 1 2 PANEL NUMBER 2. SUFFIX 4. DATE OF FIRM INDEX (IN A 2001) 1. COMMUNITY NUMBER 4 8 0 4 1 2 PANEL NUMBER 2. SUFFIX 2 PANEL NUMBER 4 8 PER 2000 ELEVATION (IN A 2001) 29 Other (describe on back 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: LILILITED (In GVD (or other FIRM datum—see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 2. (2a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1128 E/2 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2 | | SECTION B FI | LOOD INSURA | ANCE RATE MAP (FIRM |) INFORMATION | 1 |
| A 8 0 4 1 C JWLY 199Z C JNGVD 29 Other (describe on back 8. For Zones, we depth) 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD 29 Other (describe on back 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: | Provide the following from t | he proper FIRM (See | Instructions): | | | |
| 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Lilling feet NGVD (or other FIRM datum—see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of Lie 12/8/21. (b) feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The botom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of Lilling feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is Lilling feet above or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is Lilling's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation fature used in measuring the elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation fature used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevation of the datum system used on the FIRM and show the conversion equation under Comments on Page 2). 5. The reference level elevation is based on: Actual construction construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid fo | 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | |
| the community's BFE: | | | C | | | 277.6 CLONE |
| 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1282 (2) feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? No No Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: \(\text{NGVD} \) \(\text{OTE} \) five elevation to the datum system used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2). 4. Elevation reference mark used appears on FIRM: \(\text{ Yes} \) \(\text{ No} \) (See Instructions on Page 4) 5. The reference level elevation is based on: \(\text{ actual construction} \) \(\text{ in Construction drawings} \) \(\text{ No VD} \) (or other FIRM datum-see Section B, Item 7). SECTION D COMMUNITY INFORMATION 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not t | For Zones A or V, where | no BFE is provided o | n the FIRM, ar | nd the community has est | adiisned a bre | Other (describe on back) for this building site, indicate |
| describes the subject building's reference level | Sharing N | SECTION | ON C BUILDI | NG ELEVATION INFORI | MATION | 131Lm3 1. |
| SECTION D COMMUNITY INFORMATION 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7). | (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below ☐ (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accost Indicate the elevation dat under Comments on Pagethe FIRM [see Section Bequation under Comment 4. Elevation reference marks 5. The reference level elevation of the construction of the constructio | VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade ad floor used as the refer adjacent to the build rdance with the commum system used in date 2). (NOTE: If the east on Page 2.) a used appears on FIF ation is based on: | as the reference lipacent to the before level from the ing. If no flood in unity's floodpletermining the elevation datumnt the elevation actual construction of the building during the library that if the building during the lipid in the lipid in the building during the lipid in the lipid | of the lowest horizontal state | AM datum—see S d diagram is diagram is diagram is diagram is die, is the building ce? Yes dievations: NG elevations is differed on the FIRM on Page 4) Trawings Elevations is differed diagram on the FIRM on Page 4) Trawings Elevations is differed diagram on the FIRM on Page 4) Trawings Elevations is differed diagram on the FIRM on Page 4) | dection B, Item 7). I feet above or above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe erent than that used on If and show the conversion If floor in place, in which thion Elevation Certificate |
| 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7). | 6. The elevation of the lowe Section B, Item 7). | st grade immediately | adjacent to the | building is: 121.6 | . eet NGVD | (or other FIHM datum-see |
| is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7). | up# ** | SE | CTION D CC | MMUNITY INFORMATION | N | |
| | is not the "lowest floor" as | s defined in the comm | unity's floodpla | ain management ordinan | ce, the elevation | of the building's "lowest |
| | | | | | · | |

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building a ficial a preparty owner, or an owner's representative may also sign the certification.


Reference level dagrams 6,7 and 8 - Distinguishing Features-If the certifier is unable to certify to break a revision-began as wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), there is the Feature(s) not included in the cartification under Comments below. The diagram number, Section C, Item; 1, must still be entered.

NORTH B. BARDELL IP I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| North | B. Bardel | 1, Jr. | , P.E. | 1. S. C. C. | STERMA | • |
|------------------|-----------|--------------|--------------|-------------------------|------------|----------|
| CERTIFIER'S NAME | | , , | LICENSE NI | JMBER (or Affix Sail Sa | ALANE HOLD | |
| <u>C.E.O</u> | · Munic | cipal | Developm | ent Gu | | |
| TITLE i | | | COMPANY NAME | | ,, | |
| <u> 2551</u> | lexas AV | <u>e S.,</u> | Ste.A | , College S | tation 1x | 77842 |
| ADDF S | | 101 | СПУ | | STATE | ZIP |
| U LOMAU | O. Thadel | Ch | | (409)69 | <u> </u> | <u> </u> |
| SIGNÁTURE | | | DA | TE PHO | ONE | |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

of College Station CLOMR dated Jan 1999



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.